



Scientific Documentation

T1005, Talc, Powder, USP

Not appropriate for regulatory submission.
Please visit www.spectrumchemical.com or
contact Tech Services for the most up-to-date
information contained in this information
package.

Spectrum Chemical Mfg Corp

769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300

Ver4.02 2.May.2016



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan Wang", with a large, sweeping flourish at the end.

Alan Wang, MSQA, ASQ CQA
Senior Manager of Technical Services
techservices@spectrumchemical.com

T1005, Talc, Powder, USP

Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- General Label Information – Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability – Shelf Life Guidance

spectrum[®]
CHEMICAL MFG CORP

Item Number	T1005
Item	Talc, Powder, USP
CAS Number	14807-96-6
Molecular Formula	3MgO.4SiO ₂ .H ₂ O
Molecular Weight	379.29
MDL Number	
Synonyms	Talcum

Test	Specification	
	Min	Max
MAGNESIUM (Mg)	17.0 - 19.5 %	
ABSENCE OF ASBESTOS, METHOD A	TO PASS TEST	
MICROBIAL LIMITS	TO PASS TEST	
ACIDITY AND ALKALINITY	TO PASS TEST	
LOSS ON IGNITION		7.0 %
WATER-SOLUBLE SUBSTANCES		0.1 %
IRON (Fe)		0.25 %
LEAD (Pb)		0.001 %
CALCIUM (Ca)		0.9 %
ALUMINUM (Al)		2.0 %
IDENTIFICATION	TO PASS TEST	
RETEST DATE		
RESIDUAL SOLVENTS	TO PASS TEST	

Spectrum Chemical Mfg Corp

Corporate Headquarters:
 769 Jersey Ave.
 New Brunswick, NJ 08901
 732.214.1300

West Coast Facility:
 14422 S. San Pedro St.
 Gardena, CA 90248
 310.516.8000

SAFETY DATA SHEET

Preparation Date: 1/27/2015

Revision Date: 9/2/2015

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: T1005
Product Name: TALC, POWDER, USP

Other means of identification

Synonyms: Talcum
Hydrous Magnesium Silicate
CAS #: 14807-96-6
RTECS # WW2710000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Ceramics. In paper coatings.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
-----------------	-------------

Label elements

Danger**Hazard statements**

May cause cancer

**Hazards not otherwise classified (HNOC)**

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response*IF exposed or concerned: Get medical advice/attention***Precautionary Statements - Storage**

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Talc 14807-96-6	14807-96-6	99-99.9	*
Silicon Dioxide, crystalline 14808-60-7	14808-60-7	0.1-1.0	*

4. FIRST AID MEASURES**First aid measures****General Advice:**

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops.

Eye Contact:

Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.

Inhalation:

Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give oxygen. Obtain medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms May cause eye/skin irritation. May cause digestive (gastrointestinal) tract irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: If involved in a fire, the following may be released: Silicon oxides; Magnesium oxide

Specific hazards: No information available.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapours/dust. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

U.S Occupational Exposure Limits: Not determined

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Talc 14807-96-6	20	= 2 mg/m ³ TWA	= 2 mg/m ³ TWA respirable fraction, particulate matter containing no asbestos and <1% crystalline silica	None
Silicon Dioxide, crystalline 14808-60-7	(30)/(%SiO ₂ + 2) mg/m ³ TWA total dust (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	0.05 mg/m ³ TWA	0.025 mg/m ³ TWA respirable fraction	None

Canada

Canada Occupational Exposure Limits: Not determined

Components	Alberta	British Columbia	Ontario	Quebec
Talc 14807-96-6	= 2 mg/m ³ TWA	= 2 mg/m ³ TWA particulate particulate matter containing no asbestos and less than 1% crystalline silica	2 mg/m ³ TWA respirable	3 mg/m ³ TWAEV respirable dust
Silicon Dioxide, crystalline 14808-60-7	0.025 mg/m ³ TWA respirable particulate	0.025 mg/m ³ TWA respirable	0.10 mg/m ³ TWA respirable Silica, crystalline	0.1 mg/m ³ TWAEV respirable dust

Australia and Mexico

Occupational Exposure Limits for Australia and Mexico: Not determined

Components	Australia	Mexico
Talc 14807-96-6	None	= 2 mg/m ³ TWA
Silicon Dioxide, crystalline 14808-60-7	0.1 mg/m ³ TWA	0.1 mg/m ³ TWA

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment**Personal Protective Equipment**

- Eye protection:** Goggles Safety glasses with side-shields
- Skin and body protection:** Long sleeved clothing. Chemical resistant apron. Gloves.
- Respiratory protection:** Wear respirator with dust filter.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Powder.	Color: White. Grayish White.
Odor: Odorless.	Taste Tasteless.	Molecular/Formula weight: 379.29
Formula: 3MgO.4SiO ₂ .H ₂ O	Flammability: No information available	Flash point (°C): No data available
Flashpoint (°C/°F): No information available.	Flash Point Tested according to: Not applicable	Autoignition Temperature (°C/°F): No information available
Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available	pH: No information available
Melting point/range(°C/°F): No information available	Boiling point/range(°C/°F): No information available	Bulk density: No information available
Decomposition temperature(°C/°F): No information available	Density (g/cm³): No information available	Specific gravity: 2.5-2.8
Vapor pressure @ 20°C (kPa): No information available	Evaporation rate: No information available	Vapor density: No information available
VOC content (g/L): No information available	Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available
Viscosity: No information available	Miscibility: No information available	Solubility: Insoluble in water Sparingly soluble in Acetone Very slightly soluble in Ethanol Slightly soluble in Methanol

10. STABILITY AND REACTIVITY**Reactivity**

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Incompatible materials.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Manganese oxides. Silicon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 50000mg/kg

ATEmix (inhalation-dust/mist) 50000mg/l

Component Information

Talc - 14807-96-6

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Silicon Dioxide, crystalline - 14808-60-7

LD50/oral/rat = 500 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rat = 500

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms**Skin Contact:** May cause skin irritation. It may cause mild skin irritation. Do not get on broken skin. It will contaminate the wound and can cause a severe granulomatous reaction.**Eye Contact:** May cause eye irritation.**Inhalation** May cause irritation of respiratory tract. Symptoms may include coughing, labored breathing, sneezing, cyanosis, and vomiting. It may produce permanent effects in the lungs.**Ingestion** Low hazard. May cause digestive (gastrointestinal) tract irritation.**Aspiration hazard** No information available**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Chronic Toxicity** Prolonged or repeated exposure by inhalation may cause Talc pneumoconiosis (Talcosis) which affects the lungs.**Sensitization:** No information available**Mutagenic Effects:** No information available**Carcinogenic effects:** Contains 0.1-1% crystalline silica which is an IARC Group 1 carcinogen (Carcinogenic to Humans) and an ACGIH Group 2 carcinogen (Suspected Human Carcinogen).

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Talc	Monograph 93 [2010] Supplement 7 [1987] Monograph 42 [1987]	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed
Silicon Dioxide, crystalline	Monograph 100C [2012] Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources Monograph 68 [1997]	A2 Suspected Human Carcinogen	Known Human Carcinogen	Present	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available
STOT - repeated exposure No information available
Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Talc - 14807-96-6

Freshwater Fish Species Data: 100 g/L LC50 Brachydanio rerio 96 h semi-static 1

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Talc	None	None	None	None
Silicon Dioxide, crystalline	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: None

14. TRANSPORT INFORMATION

ERG No: No information available
Marine Pollutant No data available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant No information available
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available

14. TRANSPORT INFORMATION**Description:** No information available**15. REGULATORY INFORMATION****International Inventories**

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Talc	Present	Present KE-32773	Present	Present (1)-468	Present	Present	Present 238-877-9
Silicon Dioxide, crystalline	Present	Present KE-29983	Present	Present (1)-548	Present	Present	Present 238-878-4

U.S. Regulations*Talc***Massachusetts RTK:** Present**New Jersey RTK Hazardous Substance List:** 1773**Pennsylvania RTK:** Present**Minnesota - Hazardous Substance List:** Present**California Directors List of Hazardous Substances:** Present**FDA - Food Additives Generally Recognized as Safe (GRAS):** 21 CFR 182.70 21 CFR 182.90**FDA - 21 CFR - Total Food Additives** 175.300 175.380 175.390 176.170 177.1210 177.1350 177.1460 178.3297 182.70
182.90 73.1550*Silicon Dioxide, crystalline***Massachusetts RTK:** Present**New Jersey RTK Hazardous Substance List:** 1660**Pennsylvania RTK:** Present**Minnesota - Hazardous Substance List:** Present**California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.****Chemicals Known to the State of California to Cause Cancer:**

WARNING: This product contains a chemical known to the State of California to cause cancer. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Talc	Not Listed	Not Listed	Not Listed	Not Listed
Silicon Dioxide, crystalline	carcinogen	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
Talc	None	None	None	None	None
Silicon Dioxide, crystalline	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Talc	Not Applicable	Not Applicable
Silicon Dioxide, crystalline	Not Applicable	Not Applicable

Canada

WHMIS hazard class:
D2A Very toxic materials

Talc
D2A

Silicon Dioxide, crystalline
D2A In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Silicon Dioxide, crystalline	1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
Talc	Present	Not Listed
Silicon Dioxide, crystalline	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Talc	Not listed	Not listed
Silicon Dioxide, crystalline	Not listed	Not listed

EU Classification

R-phrase(s)
not determined (not applicable)

S -phrase(s)
none

Components	Classification	Concentration Limits:	Safety Phrases
Talc		No information	
Silicon Dioxide, crystalline		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:
None.

16. OTHER INFORMATION

Preparation Date: 1/27/2015
Revision Date: 9/2/2015
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet



Manufacturer

Product Covered: T1005, Talc, Powder, USP

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan Wang", is written over a light gray rectangular background.

Alan Wang, MSQA, ASQ CQA
Senior Manager of Technical Services
techservices@spectrumchemical.com

2.May.2016

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum Chemicals and Laboratory Products, Inc

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA

Additional Sites: 13915 South Main Street, Los Angeles, California, 90061, USA

755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

7400 North Oracle Road, Suite 221, Tucson, Arizona, 85704, USA

has been assessed and registered by Intertek as conforming to the requirements of


ISO 9001:2008

The quality management system is applicable to

California and New Jersey sites: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

Arizona site: Supporting Spectrum's two manufacturing facilities by: selecting and qualifying distributors of Laboratory and Safety Equipment; processing bids and quotes to generate new sales opportunities; sourcing bulk chemicals in support of bulk bids and quotes; assisting production operations through order expediting and IT infrastructure support.

Certificate Number: 94-316m-01
Initial Certification Date: 27 December 1994
Certificate Issue Date: 29 January 2016
Certificate Expiry Date: 14 September 2018



Calin Moldovean, President
Intertek Testing Services NA, Inc.
900 Chelmsford Street, Suite 301-3, Lowell, MA, USA



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-ISO 9001-2008-ANAB-EN-LT-L-26.jun.15

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001: 2008

The quality management system is applicable to:

Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.

Organization Code: 77762704-8
Certificate Number: 111310001-01
Certificate Issue Date: 17 November 2015
Certificate Expiry Date: 14 September 2018



014

A handwritten signature in black ink, appearing to read 'Calin Moldovean'.

Authorised Signature: Calin Moldovean – President, Business Assurance
Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom
Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.
The annual validity of the certificate can also be checked through the website <http://www.cnca.gov.cn> of CNCA in China.



The certificate remains the property of Intertek, to whom it must be returned upon request.



March 28, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that our USP, NF, FCC, EP, BP, JP, and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	<u>2246824</u>
Spectrum -Shanghai, China:	<u>3006174778</u>

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Weston".

Michelle Weston
Quality Assurance Specialist



April 25, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
T1005	Talc, Powder, USP

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum-Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

Michelle Weston
Quality Assurance Specialist



April 27, 2016

Re: Talc, Powder, USP-T1005

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Talc, Powder, USP-T1005

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



April 27, 2016

Re: Talc, Powder, USP-T1005

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Lupin; Tree nuts; Mollusks; Wheat; Peanuts; Soy; Cereals containing Gluten; Celery; Mustard; Sesame Seed).

Talc, Powder, USP-T1005

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



April 29, 2016

Re: Talc, Powder, USP-T1005

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Talc, Powder, USP-T1005

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.


Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

A 


C **DANGER**

- May cause cancer.
- Obtain special instructions before use • Do not handle until all safety precautions have been read and understood • Wear protective gloves, protective clothing, eye protection, face protection.

FIRST AID: If exposed or concerned: Get medical attention.

KEEP FROM CHILDREN

L Retest Date: 03-31-2025

B 

SPECTRUM[®]

T1005 **D** **F** **12 KG**

E **Talc**
(Talcum)
Powder
U.S.P.

H **G** CAS 14807-96-6

H **CAUTION:** For manufacturing, processing or repacking.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

J **Chemical Emergency: (800)424-9300**
www.SpectrumChemical.com

K **3MgO•4SiO₂•H₂O** F.W. 379.29

Magnesium.....	17.0-19.5%
Absence of Asbestos, Method A.....	To pass test
MAXIMUM LIMITS	
Microbial Limits.....	To pass test
Acidity and Alkalinity.....	To pass test
Loss on Ignition.....	7.0%
Water-Soluble Substances.....	0.1%
Iron.....	0.25%
Lead (Pb).....	0.001%
Calcium.....	0.9%
Aluminum.....	2.0%
Residual Solvents.....	To pass test

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

M **Lot No. 062233**

O **Storage Color Band**

SPECTRUM CHEMICAL MFG. CORP.
Gardena, CA 90248 • New Brunswick, NJ 08901

- | | | |
|--|---|---|
| <p>A Bar Code</p> <p>B GHS Hazard Pictograms</p> <p>C Warning, Safety Data and Precautionary Information</p> <p>D Product Catalog Number</p> <p>E Item Name, Form, Grade</p> <p>O Storage Color Band</p> | <p>F Size/Quantity</p> <p>G Chemical Abstracts Service (CAS) Registry Number</p> <p>H Caution Information</p> <p>I DOT Shipping Information</p> <p>J Toll-Free 24-Hour Chemical Emergency Telephone Number</p> | <p>K Empirical Formula, Formula Weight and Technical Specifications Panel</p> <p>L Expiration Information</p> <p>M Lot Number</p> <p>N Kosher Certified by Kosher Supervision of America (KSA).</p> |
|--|---|---|

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901

732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248

310.516.8000

Item Number	T1005	Lot Number	1EH0568
Item	Talc, Powder, USP		
CAS Number	14807-96-6		
Molecular Formula	3MgO.4SiO ₂ .H ₂ O	Molecular Weight	379.29

Test	Specification		Result
	min	max	
MAGNESIUM (Mg)	17.0 - 19.5 %		18.9 %
ABSENCE OF ASBESTOS, METHOD A	TO PASS TEST		PASSES TEST
MICROBIAL LIMITS	TO PASS TEST		PASSES TEST
ACIDITY AND ALKALINITY	TO PASS TEST		PASSES TEST
LOSS ON IGNITION		7.0 %	5.5 %
WATER-SOLUBLE SUBSTANCES		0.1 %	0.05 %
IRON (Fe)		0.25 %	<0.25 %
LEAD (Pb)		0.001 %	<0.00003 %
CALCIUM (Ca)		0.9 %	0.1 %
ALUMINUM (Al)		2.0 %	0.5 %
IDENTIFICATION	TO PASS TEST		PASSES TEST
RETEST DATE			13-MAY-2018
RESIDUAL SOLVENTS	TO PASS TEST		NO RESIDUAL SOLVENTS USED
APPEARANCE			WHITE POWDER
MANUFACTURE DATE			13-MAY-2015

Spectrum Chemical Mfg Corp
 14422 South San Pedro Street
 Gardena 90248 CA

Certificate of Analysis Results Certified By:



Adan Hernandez
 Quality Control Manager
 Spectrum Chemicals & Laboratory Products



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

January 26, 2016

RE: Lot Numbering System

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

Example: ZI0928 = The 928th material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

- 1 = Gardena, CA Facility
- 2 = New Brunswick, NJ Facility
- 3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

Example: 2AA0706 = The 706th material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,



Michael Dang
Manager, GMP Compliance



Stability – Shelf Life Guidance

Product Covered: T1005, Talc, Powder, USP

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, T1005, Talc, Powder, USP, is assigned a 36 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez
Quality Control Manager

A handwritten signature in black ink, appearing to read "Adan R. Hernandez".

Corporate Headquarters
769 Jersey Avenue
New Brunswick, NJ 08901-3605