

|                          |  |                         |         |
|--------------------------|--|-------------------------|---------|
| <b>Item Number</b>       | IS115  | <b>Lot Number</b>       | 3FH0005 |
| <b>Item</b>              | Isopropyl Alcohol, 99 Percent, USP, EP, BP, JP |                         |         |
| <b>CAS Number</b>        | 67-63-0  |                         |         |
| <b>Molecular Formula</b> | C <sub>3</sub> H <sub>8</sub> O                | <b>Molecular Weight</b> | 60.10   |

| TEST                                    | SPECIFICATION |        | RESULT                 |
|---|---------------|--------|------------------------|
|   | MIN           | MAX    |                        |
| ASSAY (C <sub>3</sub> H <sub>8</sub> O) | 99.0 %        |        | 99.94 %                |
| SPECIFIC GRAVITY @ 25 °C                | 0.783 - 0.787 |        | 0.783                  |
| SPECIFIC GRAVITY @ 20 °C                | 0.785 - 0.788 |        | 0.786                  |
| REFRACTIVE INDEX @ 20 °C                | 1.376 - 1.378 |        | 1.378                  |
| ACIDITY                                 | TO PASS TEST  |        | PASSES TEST            |
| ACIDITY OR ALKALINITY                   | TO PASS TEST  |        | PASSES TEST            |
| APPEARANCE                              | TO PASS TEST  |        | PASSES TEST            |
| CLARITY OF SOLUTION                     | TO PASS TEST  |        | PASSES TEST            |
| ABSORBANCE                              | TO PASS TEST  |        | PASSES TEST            |
| DISTILLING RANGE (MIN. 94%)             | 81° - 83°C    |        | 81° - 83°C             |
| NONVOLATILE RESIDUE                     |               | 20 ppm | 0ppm                   |
| WATER                                   |               | 0.5 %  | 0.03 %                 |
| BENZENE AND RELATED SUBSTANCES          | TO PASS TEST  |        | PASSES TEST            |
| PEROXIDES                               | TO PASS TEST  |        | PASSES TEST            |
| VOLATILE IMPURITIES                     | TO PASS TEST  |        | PASSES TEST            |
| IDENTIFICATION                          | TO PASS TEST  |        | PASSES TEST            |
| RESIDUAL SOLVENTS                       | TO PASS TEST  |        | PASSES TEST            |
| MANUFACTURING DATE                      |               |        | 29-APR-2016            |
| RETEST DATE                             |               |        | 30-APR-2021            |
| APPEARANCE                              |               |        | CLEAR COLORLESS LIQUID |

*Phil Xiao*

Phil Xiao  
Director, Quality Control



**Spectrum China Ltd.**

***A Div of Spectrum Chemical Mfg Corp***  
Bldg A20, Lane 3802, Shen Gang Road, Song  
Jiang District, Shanghai, P.R.China, 201611  
(021)67601398