

Scientific Documentation

B1194, Butylated Hydroxyanisole, Flakes, NF

Not appropriate for regulatory submission. Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp

769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

Alan Wang, MSQA, ASQ CQA Senior Manager of Technical Services techservices@spectrumchemical.com

16.May.2016

Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Manufacturing Process Flowchart
- Certification of Quality Mangement System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- General Label Information Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability Shelf Life Guidance



Specification for Butylated Hydroxyanisole, Flakes, NF (B1194)

Item Number	B1194
Item	Butylated Hydroxyanisole, Flakes, NF
CAS Number	25013-16-5
Molecular Formula	$C_{II}H_{I6}O_2$
Molecular Weight	180.25
MDL Number	
Synonyms	BHA; Butylated Hydroxyanisole; tert-Butyl-4-methoxyphenol

Test	Specif	Specification			
	Min	Max			
ASSAY	98.5 %				
RESIDUE ON IGNITION		0.01 %			
HEAVY METALS		0.001 %			
IDENTIFICATION	TO PASS TEST				
RETEST DATE					
RESIDUAL SOLVENTS		TO PASS TEST			

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901

14422 S. San Pedro St. Gardena, CA 90248 732.214.1300 310.516.8000

West Coast Facility:





SAFETY DATA SHEET

Preparation Date: 06/08/2015 Revision Date: 06/08/2015 Revision Number: G1

Product identifier

Product code: B1194

Product Name: BUTYLATED HYDROXYANISOLE, FLAKES, NF

Other means of identification

Synonyms: BHA

(1,1-Dimethylethyl)-4-methoxyphenol 2(3)-tert-Butyl-4-hydroxyanisole 2-terc.Butyl-4-methoxyfenol [Czech] 3-tert-Butyl-4-hydroxyanisole Anisole, butylated hydroxy-

Anisole, butylated hydroxy.
Antioxyne B
Antrancine 12
BOA (antioxidant)

Butyl hydroxyanisole Butylated hydroxyanisole Butylhydroxyanisole

Butylohydroksyanizol [Polish]

Embanox Nepantiox 1-F Nipantiox 1-F

Phenol, (1,1-dimethylethyl)-4-methoxy-

Phenol, tert-butyl-4-methoxy-

Protex Sustane 1-F

t-Butyl hydroxyanisole tert-Butyl-4-hydroxyanisole tert-Butyl-4-methoxyphenol INCI name for BHA is BHA

CAS #: 25013-16-5
RTECS # SL1945000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Stabilizer in foods. Antioxidant.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

Product code: B1194 Product name: BUTYLATED

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 2

Label elements

Warning

Hazard statements

Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Product code: B1194 Product name: BUTYLATED 2/12

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
BHA	25013-16-5	100	*
25013-16-5			

4. FIRST AID MEASURES

First aid measures

General Advice: Poison information centers in each State capital city can provide additional

assistance for scheduled poisons (13 1126).

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eye with water for 15 minutes. Get medical attention.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed. Causes serious eye irritation. Causes skin irritation. May cause allergic

skin reaction. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO2). Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon oxides

Specific hazards: May be combustible at high temperatures

Special Protective Actions for Firefighters

Specific Methods: No information available.

Product code: B1194 Product name: BUTYLATED 3/12

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Avoid breathing dust.

Avoid dust formation. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning upUse appropriate tools to put the spilled solid in a suitable waste disposal container.

Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe vapours/dust. Do not ingest. Do not smoke. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Sensitive to light. Store in light-resistant containers. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
BHA	None	None	None	None
25013-16-5				

Canada

Components	Alberta	British Columbia	Ontario	Quebec
BHA	None	None	None	None
25013-16-5				

Australia and Mexico

Components	Australia	Mexico
BHA	None	None
25013-16-5		

Appropriate engineering controls

Engineering measures to reduce exposure: Use process enclosures, local exhaust ventilation, or other

engineering controls to keep airborne levels below

recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to

airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Product code: B1194

Eye protection: Safety glasses with side-shields

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Respiratory protection: Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color:

Solid. Waxy. White to yellowish.

Odor: Taste Molecular/Formula weight:

Characteristic. Slight. No information available 180.25

Formula: Flammability: Flash point (°C):

C11H16O2 No information available 156°C

Flashpoint (°C/°F): Flash Point Tested according to: Lower Explosion Limit (%):

156°C/ 312.8°F Closed cup No information available

Upper Explosion Limit (%): Autoignition Temperature (°C/°F): pH:

Melting point/range(°C/°F): Boiling point/range(°C/°F): Decomposition temperature(°C/°F):

48-55°C/ 118.4- 131°F 264-270°C/ 507.2-518°F @ 733 mm Hg No information available

Bulk density: Specific gravity: Vapor pressure @ 20°C (kPa):

Density (g/cm3): Evaporation rate: Vapor density:

No information available No information available 6.2

VOC content (g/L):Odor threshold (ppm):Partition coefficientNo information availableNo information available(n-octanol/water):

No information available

Viscosity: Miscibility: Solubility:

Insoluble in cold water, hot water. Soluble in 50% alcohol or higher, petroleum ether, propylene glycol, fats,

oils, chloroform.

Solubility in Alcohol: 4 g/4 ml alcohol. Solubility in Chloroform: 1 g/2 ml

chloroform.

Solubility in Ether: 1 g/1.2 ml Ether.

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Sensitive to light. Exposure to light accelerates decomposition. Stable under recommended

storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Incompatible materials. Exposure to light. Avoid dust formation.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Carbon oxides.

Other Information

Corrosivity: No information available

Product code: B1194 Product name: BUTYLATED 6/12

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation. Skin.

Acute Toxicity

Component Information

BHA - 25013-16-5

LD50/oral/rat = 2 g/kg Oral LD50 Rat **LD50/oral/mouse** = 1100 mg/kg

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 2000mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 1100mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation. It may cause depigmentation.

Eye Contact: Causes serious eye irritation. Causes conjunctivitis.

Inhalation May cause respiratory tract irritation.

Ingestion Harmful if swallowed. May cause gastrointestinal tract irritation with nausea,

vomiting, diarrhea. May affect behavior/central nervous system (altered sleep time (including change in righting reflex)). May affect behavior/central nervous system

(ataxia). May affect respiration (respiratory stimulation).

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Skin: Sensitizer. May cause allergic skin reaction (allergic contact dermatitis).

Ingestion: Prolonged or repeated ingestion may affect metabolism (weight loss), liver,

thyroid, adrenal gland.

Sensitization: May cause sensitization by skin contact

Mutagenic Effects: May affect genetic material

Mutations in microorganisms

Experiments with bacteria and/or yeast have shown mutagenic effects

Carcinogenic effects: Suspected of causing cancer. Possibly carcinogenic to humans.

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
	Group 2B - Supplement 7 [1987]		Reasonably Anticipated To		Not listed	Not listed
	Monograph 40 [1986]		Be A Human Carcinogen			

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program)

Reproductive toxicity No data is available

Reproductive Effects: May cause adverse reproductive effects based on animal data

Developmental Effects:No information available **Teratogenic Effects:**No information available

Specific Target Organ Toxicity

STOT - single exposureSTOT - repeated exposure
No information available
No information available

Target Organs: Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

Product code: B1194 Product name: BUTYLATED 8 / 12

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

	Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
BHA		None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available
No information available

Packing Group: None

ERG No: No information available

Marine Pollutant No data available

DOT RQ (lbs):No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Packing Group:
Subsidiary Risk:
Classification Code:
Description:
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Description:
IMDG Page:
No information available

Product code: B1194 Product name: BUTYLATED
HYDROXYANISOLE, FLAKES, NF

9/12

14. TRANSPORT INFORMATION

MFAG: No information available Maximum Quantity: No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Classification Code:
Description:
No information available
No information available
No information available
No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
ВНА	Present	Present KE- 11392	Present	Present (9)- 1199 (3)-608	Present	Present	Present 246-563-8

U.S. Regulations

BHA

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 3563 Minnesota - Hazardous Substance List: Present

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 182.3169

FDA - Direct Food Additives 21 CFR 172.110 21 CFR 172.515 21 CFR 172.615 21 CFR 173.340

FDA - 21 CFR - Total Food Additives 166.110 172.110 172.115 172.185 172.515 172.615 173.340 175.105 175.125 175.300

175.380 175.390 176.170 176.210 177.1010 177.1210 177.1350 178.3570 179.45

181.24 182.3169

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: B1194 Product name: BUTYLATED HYDROXYANISOLE, FLAKES, NF

Components	Carcinogen	Developmental Toxicity	Male Reproductive	Female Reproductive
			Toxicity	Toxicity:
ВНА	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

	CERCLA - Hazardous Substances and their	- · · · · · · · · · · · · · · · · · · ·	Section 302 Extremely Hazardous	Section 313 - Chemical Category	Section 313 - Reporting de minimis
	Reportable Quantities			0 ,	
BHA	None	None	None	None	None

U.S. TSCA

•	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
BHA	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

D2A Very toxic materials

BHA

D2A

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
ВНА	1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
BHA	Present	Not Listed

Components		CEPA - 2010 Greenhouse Gases Subject to Manditory Reporting	
ВНА	Not listed	Not listed	

EU Classification

R-phrase(s)

R22 - Harmful if swallowed.

R40 - Limited evidence of a carcinogenic effect

R36/37/38 - Irritating to eyes, respiratory system and skin.

S -phrase(s)

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S36/37 - Wear suitable protective clothing and gloves.

Components Class	assification (Concentration Limits:	Safety Phrases
------------------	----------------	-----------------------	----------------

 BHA No information

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xn - Harmful.



16. OTHER INFORMATION

Preparation Date:06/08/2015Revision Date:06/08/2015Prepared by:Sonia Owen

Disclaimer:

Product code: B1194

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet



Manufacturer

Product Covered: B1194, Butylated Hydroxyanisole, Flakes, NF

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.


Sincerely,

Alan Wang, MSQA, ASQ CQA Senior Manager of Technical Services techservices@spectrumchemical.com



Manufacturing Process Flowchart

Butylated Hydroxyanisole, Flakes, NF - B1194



Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.

New Brunswick, NJ 08901

West Coast Facility:

14422 S. San Pedro St. Gardena, CA 90248

310.516.8000

732.214.1300

Certificate of Registration



This is to certify that the quality management system of

Spectrum Chemicals and Laboratory Products, Lac

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA

Additional Sites: 13915 South Main Street, Los Angeles, California, 90061, USA 755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 7400 North Oracle Road, Suite 221, Tucson, Arizona, 85704, USA

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001:2008

The quality management system is applicable to

California and New Jersey sites: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

Arizona site: Supporting Spectrum's two manufacturing facilitates by: selecting and qualifying distributors of Laboratory and Safety Equipment; processing bids and quotes to generate new sales opportunities; sourcing bulk chemicals in support of bulk bids and quotes; assisting production operations through order expediting and IT infrastructure support.

Certificate Number: 94-316m-01

Initial Certification Date: 27 December 1994 Certificate Issue Date: 29 January 2016 Certificate Expiry Date: 14 September 2018

Calin Moldovean, President Intertek Testing Services NA, Inc. 900 Chelmsford Street, Suite 301-3, Lowell, MA, USA ARAB
ACCREDITED
ISO/IEC17021
MANAGEMENT SYSTEMS
CERTIFICATION BODY



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

Certificate of Registration



This is to certify that the quality management system of

Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001: 2008

The quality management system is applicable to:

Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.

Organization Code: 77762704-8
Certificate Number: 111310001-01
Certificate Issue Date: 17 November 2015
Certificate Expiry Date: 14 September 2018







Authorised Signature: Calin Moldovean – President, Business Assurance Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.com or by scanning the code to the right with a smartphone.

The annual validity of the certificate can also be checked through the website http://www.cnca.gov.cn of CNCA in China.





March 28, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that our USP, NF, FCC, EP, BP, JP, and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum -Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

Michelle Weston

Quality Assurance Specialist

Michelle Wester



May 9, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name	
B1194	Butylated Hydroxyanisole, Flakes, NF	

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum-Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

Michelle Weston

Quality Assurance Specialist

Michelle Wester



May 6, 2016

Re: Butylated Hydroxyanisole, Flakes, NF- B1194

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Butylated Hydroxyanisole, Flakes, NF- B1194

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 6, 2016

Re: Butylated Hydroxyanisole, Flakes, NF- B1194

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Lupin; Tree nuts; Mollusks; Wheat; Peanuts; Soy; Cereals containing Gluten; Celery; Mustard; Sesame Seed).

Butylated Hydroxyanisole, Flakes, NF- B1194

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 10, 2016

Re: Butylated Hydroxyanisole, Flakes, NF- B1194

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Butylated Hydroxyanisole, Flakes, NF- B1194

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,


Darlene Dagdag-Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.



- A Bar Code
- GHS Hazard Pictograms
- Warning, Safety Data and Precautionary Information
- Product Catalog Number
- Item Name, Form, Grade
- Storage Color Band

- Size/Quantity
- Chemical Abstracts Service (CAS) Registry Number
- Caution Information
- DOT Shipping Information
- Toll-Free 24-Hour Chemical Emergency Telephone Number
- Empirical Formula, Formula Weight and Technical Specifications Panel
- Expiration Information
- Lot Number
- Kosher Certified by Kosher Supervision of America (KSA).

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

YELLOW: Oxidizer RED: Flammable GREEN: General Storage BLUE: Health Hazard

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave. New Brunswick, NJ 08901 West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

732.214.1300 310.516.8000

WHITE: Corrosive



Certificate Of Analysis

Item Number	B1194	Lot Number	2EE0142
Item	Butylated Hydroxyanisole, Flakes, NF		
CAS Number	25013-16-5		
Molecular Formula	$C_{II}H_{I6}O_2$	Molecular Weight	180.25

Test	Specification		Result
	min	max	
ASSAY	98.5 %		100.3 %
RESIDUE ON IGNITION		0.01 %	<0.01 %
HEAVY METALS		0.001 %	<0.001 %
IDENTIFICATION	TO PASS TEST		PASSES TEST
RETEST DATE			26-MAR-2020
RESIDUAL SOLVENTS		TO PASS TEST	NO RESIDUAL SOLVENTS USED
APPEARANCE			WHITE WAXY FLAKES
DATE OF MANUFACTURE			27-MAR-2015

Spectrum Chemical Mfg Corp 755 Jersey Avenue New Brunswick 08901 NJ

Certificate of Analysis Results Certified By:

Mulbah F. Dwanah Laboratory Supervisor

Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.



January 26, 2016

RE: Lot Numbering System

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

Example: Zl0928 = The 928th material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

1 = Gardena, CA Facility

2 = New Brunswick, NJ Facility

3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

Example: 2AA0706 = The 706th material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

Michael Dang

Manager, GMP Compliance



Stability - Shelf Life Guidance

Product Covered: B1194, Butylated Hydroxyanisole, Flakes, NF

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, B1194, Butylated Hydroxyanisole, Flakes, NF, is assigned a 60 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez Quality Control Manager

Corporate Headquarters 769 Jersey Avenue

New Brunswick, NJ 08901-3605