



Scientific Documentation

SO170, Sodium Hydroxide, Pellets, NF

Not appropriate for regulatory submission.
Please visit www.spectrumchemical.com or
contact Tech Services for the most up-to-date
information contained in this information
package.

Spectrum Chemical Mfg Corp

769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300

Ver4.01 12.April.2016



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

A handwritten signature in blue ink, appearing to read "Alan Wang". The signature is stylized with a large loop at the end.

Alan Wang, MSQA, ASQ CQA
Senior Manager, Global Supplier Quality Assurance
qualityassurance@spectrumchemical.com

SO170, Sodium Hydroxide, Pellets, NF

Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Manufacturing Process Flowchart
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxins Statement
- General Label Information – Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability – Shelf Life Guidance



Specification for Sodium Hydroxide, Pellets, NF (SO170)

Item Number	SO170
Item	Sodium Hydroxide, Pellets, NF
CAS Number	1310-73-2
Molecular Formula	NaOH
Molecular Weight	40.00
MDL Number	
Synonyms	Caustic Soda ; Soda Lye

Test	Specification	
	Min	Max
ASSAY (TOTAL ALKALI INCLUDING A MAX. OF 3.0% (Na ₂ CO ₃))	95.0 - 100.5 %	
INSOLUBLE AND ORGANIC MATTER		TO PASS TEST
POTASSIUM (K)		TO PASS TEST
HEAVY METALS		0.003 %
IDENTIFICATION		TO PASS TEST
EXPIRATION DATE		
RESIDUAL SOLVENTS		TO PASS TEST

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

SAFETY DATA SHEET

Preparation Date: 3/19/2014

Revision Date: 3/19/2014

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: SO170
Product Name: SODIUM HYDROXIDE, PELLETS, NF

Other means of identification

Synonyms: Caustic Soda
 Soda Lye
CAS #: 1310-73-2
RTECS # WB4900000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemicals and Laboratory Products, Inc.
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Regina Wachenheim (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage

Harmful in contact with skin

May be corrosive to metals



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Keep only in original container

Precautionary Statements - Response

Specific measures (see .? on this label)

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see .? on this label)

Absorb spillage to prevent material damage

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant/ .? container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Sodium Hydroxide 1310-73-2	1310-73-2	100	*

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centres in each State capital city can provide additional assistance for scheduled poisons (13 1126). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect himself.

Skin Contact:

Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician immediately.

Eye Contact:

Flush eye with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.

Inhalation:

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. **WARNING!** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Call a physician immediately.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If victim is conscious, give water or milk. Immediate medical attention is required. Call a physician or Poison Control Centre immediately.

Most important symptoms and effects, both acute and delayed

Symptoms

Severe skin and eye irritation or burns. Causes digestive (gastrointestinal) tract irritation. May cause gastrointestinal (digestive) tract burns. May cause abdominal pain, nausea, vomiting, diarrhea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media:

No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products:

Sodium oxides

Specific hazards:

No information available..

Special Protective Actions for Firefighters**Specific Methods:**

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions:**

Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up**Methods for containment**

Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up

Use appropriate tools to put the spilled solid in a suitable waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE**Precautions for safe handling****Technical Measures/Precautions:**

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities**Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents. Reducing agents. Acids. Bases. aldehydes. Metals. Powdered metals. Water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****National occupational exposure limits****United States**

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Sodium Hydroxide - 1310-73-2	2 mg/m ³ TWA	2 mg/m ³ Ceiling	2 mg/m ³ Ceiling	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Sodium Hydroxide - 1310-73-2	2 mg/m ³ Ceiling	2 mg/m ³ Ceiling	2 mg/m ³ Ceiling	2 mg/m ³ Ceiling

Australia and Mexico

Components	Australia	Mexico
Sodium Hydroxide 1310-73-2	None	2 mg/m ³ Ceiling

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Face-shield.

Skin and body protection: Chemical resistant protective suit. Gloves. boots.

Respiratory protection: Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Pellets. Flakes.	Color: White.
Odor: No information available	Taste No information available	Formula: NaOH
Molecular/Formula weight: 40	Flash point (°C): No data available	Flashpoint (°C/°F): No information available.
Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available
Autoignition Temperature (°C/°F): No information available	pH: No information available	Melting point/range(°C/°F): 323 °C/613.4 °F
Boiling point/range(°C/°F): 1388 °C/2530.4 °F	Decomposition temperature(°C/°F): No information available	Specific gravity: 2.13
Density (g/cm3): No information available	Bulk density: No information available	Vapor pressure @ 20°C (kPa): No information available
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: Freely soluble in water	

10. STABILITY AND REACTIVITY

Reactivity

10. STABILITY AND REACTIVITY

Sodium hydroxide + zinc metal dust causes ignition of the latter.

Under proper conditions of temperature, pressure and state of division, it can ignite or react violently with acetaldehyde, allyl alcohol, allyl chloride, benzene-1,4-diol, chlorine trifluoride, 1,2 dichloroethylene, nitroethane, nitromethane, nitroparaffins, nitropropane, cinnamaldehyde, 2,2-dichloro-3,3-dimethylbutane.

Sodium hydroxide in contact with water may generate enough heat to ignite adjacent combustible materials.

Phosphorous boiled with NaOH yields mixed phosphines which may ignite spontaneously in air.

sodium hydroxide and cinnamaldehyde + heat may cause ignition.

Reaction with certain metals releases flammable and explosive hydrogen gas.

Sodium hydroxide reacts to form explosive products with ammonia + silver nitrate.

Benzene extract of allyl benzenesulfonate prepared from allyl alcohol, and benzene sulfonyl chloride in presence of aqueous sodium hydroxide, under vacuum distillation, residue darkened and exploded.

Sodium Hydroxide + impure tetrahydrofuran, which can contain peroxides, can cause serious explosions.

Dry mixtures of sodium hydroxide and sodium tetrahydroborate liberate hydrogen explosively at 230-270 deg. C.

Sodium Hydroxide reacts with sodium salt of trichlorophenol + methyl alcohol + trichlorobenzene + heat to cause an explosion.

Hygroscopic. Much heat is evolved when solid material is dissolved in water. Therefore cold water and caution must be used for this process.

Generates considerable heat when a sodium hydroxide solution is mixed with an acid

Sodium hydroxide solution and octanol + diborane during a work-up of a reaction mixture of oxime and diborane in tetrahydrofuran is very exothermic, a mild explosion being noted on one occasion.

Reactive with water, acids (mineral, non-oxidizing, e.g. hydrochloric, hydrofluoric acid, muriatic acid, phosphoric), acids (mineral, oxidizing e.g. chromic acid, hypochlorous acid, nitric acid, sulfuric acid), acids (organic e.g. acetic acid, benzoic acid, formic acid, methanoic acid, oxalic acid), aldehydes (e.g. acetaldehyde, acrolein, chloral hydrate, formaldehyde), carbamates (e.g. carbanolate, carbofuran), esters (e.g. butyl acetate, ethyl acetate, propyl formate), halogenated organics (dibromoethane, hexachlorobenzene, methyl chloride, trichloroethylene), isocyanates (e.g. methyl isocyanate), ketones (acetone, acetophenone, MEK, MIBK), acid chlorides, strong bases, strong oxidizing agents, strong reducing agents, flammable liquids, powdered metals and metals (i.e. aluminum, tin, zinc, hafnium, raney nickel), metals (alkali and alkaline e.g. cesium, potassium, sodium), metal compounds (toxic e.g. beryllium, lead acetate, nickel carbonyl, tetraethyl lead), nitrides (e.g. potassium nitride, sodium nitride), nitriles (e.g. acetonitrile, methyl cyanide), nitro compounds (organic e.g. nitrobenzene, nitromethane), acetic anhydride, hydroquinone, chlorohydrin, chlorosulfonic acid, ethylene cyanohydrin, glyoxal, hydrosulfuric acid, oleum, propiolactone, acrylonitrile, phosphorous pentoxide, chloroethanol, chloroform-methanol, tetrahydroborate, cyanogen azide, 1,2,4,5 tetrachlorobenzene, cinnamaldehyde.

Reacts with formaldehyde hydroxide to yield formic acid, and hydrogen.

Chemical stability

Stability: Stable at normal conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Exposure to moisture. Exposure to water. Incompatible materials.

Incompatible Materials: Oxidizing agents. Reducing agents. Acids. Bases. aldehydes. Metals. Powdered metals. Water.

Hazardous decomposition products: Sodium oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: Very caustic to aluminum and other metals in the presence of moisture

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Skin. Inhalation. Ingestion.

Acute Toxicity

Component Information

Sodium Hydroxide - 1310-73-2

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rabbit = 1350 mg/kg Dermal LD50Rabbit

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = 500 mg/kg Oral LDL(Lowest Lethal Dose) Rabbit

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 1350mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Severe skin irritation. Causes skin burns. May cause deep penetrating ulcers of the skin. Harmful in contact with skin.

Eye Contact: Severe eye irritation. Causes eye burns. May cause corneal damage.

Inhalation Causes severe irritation of the respiratory tract and mucous membranes with coughing, burns, breathing difficulty, and possible coma. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes chemical burns to the respiratory tract and mucous membranes.

Ingestion Causes severe gastrointestinal tract irritation and burns. Causes severe pain, nausea, vomiting, diarrhea, and shock. May cause severe and permanent damage to the digestive tract. May cause perforation of the digestive tract. May cause corrosion and permanent destruction of the esophagus.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available

Sensitization: No information available

Product code: SO170

Product name: SODIUM HYDROXIDE,
PELLETS, NF

8 / 13

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Sodium Hydroxide	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available

STOT - repeated exposure No information available

Target Organs: Skin. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Sodium Hydroxide - 1310-73-2

Freshwater Fish Species Data: 45.4 mg/L LC50 Oncorhynchus mykiss 96 h static 1

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Sodium Hydroxide	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid
Hazard Class: 8
Subsidiary Risk: Not applicable
Packing Group: II
Marine Pollutant: No data available
ERG No: 154
DOT RQ (lbs): No information available
Symbol(s): R4

TDG (Canada)

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Description: No information available

ADR

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid
Hazard Class: 8
Packing Group: II
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Description: No information available
IMDG Page: No information available
Marine Pollutant: No information available
EMS: F-A
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid
Hazard Class: 8
Subsidiary Risk: 8
Packing Group: II
Classification Code: No information available
Description: No information available

ICAO

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid

14. TRANSPORT INFORMATION

Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
Description: No information available

IATA

UN-No: UN1823
Proper Shipping Name: Sodium hydroxide, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: II
ERG Code: 8L
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Sodium Hydroxide	Present	Present KE-31487	Present	Present (2)-1972 (1)-410	Present	Present	Present 215-185-5

U.S. Regulations

Sodium Hydroxide

Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: Present
New Jersey - Discharge Prevention - List of Hazardous Substances: Present
Pennsylvania RTK: Environmental hazard
Pennsylvania RTK - Environmental Hazard List Present
Minnesota - Hazardous Substance List: Present
New York Release Reporting - List of Hazardous Substances:
1000 lb RQ
100 lb RQ
Louisiana Reportable Quantity List for Pollutants: 1000lbfinal RQ
454kgfinal RQ
California Directors List of Hazardous Substances: Present
FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1763

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Sodium Hydroxide	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
Sodium Hydroxide	1000 lb final RQ 454 kg final RQ	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Sodium Hydroxide	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

E Corrosive material

Sodium Hydroxide

E including 0.04% in aqueous solution, 0.08%, 0.4% in aqueous solution, 2%, 2.5%, 4% in aqueous solution, 5%, 10%, 16%, 20%, 40%, 50% in aqueous solution, 8.7N

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Sodium Hydroxide	1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
Sodium Hydroxide	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Sodium Hydroxide	Not listed	Not listed

EU Classification

R-phrases(s)

R35 - Causes severe burns.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 1/2 - Keep locked up and out of the reach of children.

S37/39 - Wear suitable gloves and eye/face protection.

Components	Classification	Concentration Limits:	Safety Phrases
Sodium Hydroxide	C; R35	5%≤C: C; R:35 2%≤C<5%: C; R:34 0.5%≤C<2%: Xi; R:36/38	S1/2 S26 S37/39 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

C - Corrosive.



16. OTHER INFORMATION

NFPA	HMIS	Personal Protective Equipment
------	------	-------------------------------



Health Hazard	3
Fire Hazard	0
Reactivity	2



See Section 8.

Preparation Date: 3/19/2014
 Revision Date: 3/19/2014
 Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Material Safety Data Sheet



Manufacturer

Product Covered: SO170, Sodium Hydroxide, Pellets, NF

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,


A handwritten signature in black ink, appearing to read "Alan Wang", with a large, sweeping loop at the end.

Alan Wang, MSQA, ASQ CQA
Senior Manager, Global Supplier Quality Assurance
qualityassurance@spectrumchemical.com

12.Apr.2016

Manufacturing Process Flowchart

Sodium Hydroxide, Pellets, NF - SO170



Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum Chemicals and Laboratory Products, Inc

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA

Additional Sites: 13915 South Main Street, Los Angeles, California, 90061, USA

755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

7400 North Oracle Road, Suite 221, Tucson, Arizona, 85704, USA

has been assessed and registered by Intertek as conforming to the requirements of


ISO 9001:2008

The quality management system is applicable to

California and New Jersey sites: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

Arizona site: Supporting Spectrum's two manufacturing facilities by: selecting and qualifying distributors of Laboratory and Safety Equipment; processing bids and quotes to generate new sales opportunities; sourcing bulk chemicals in support of bulk bids and quotes; assisting production operations through order expediting and IT infrastructure support.

Certificate Number: 94-316m-01
Initial Certification Date: 27 December 1994
Certificate Issue Date: 29 January 2016
Certificate Expiry Date: 14 September 2018



Calin Moldovean, President
Intertek Testing Services NA, Inc.
900 Chelmsford Street, Suite 301-3, Lowell, MA, USA



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-ISO 9001-2008-ANAB-EN-LT-L-26.jun.15

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001: 2008

The quality management system is applicable to:

Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.

Organization Code: 77762704-8
Certificate Number: 111310001-01
Certificate Issue Date: 17 November 2015
Certificate Expiry Date: 14 September 2018



014

Authorised Signature: Calin Moldovean – President, Business Assurance
Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The annual validity of the certificate can also be checked through the website <http://www.cnca.gov.cn> of CNCA in China.



The certificate remains the property of Intertek, to whom it must be returned upon request.



March 28, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that our USP, NF, FCC, EP, BP, JP, and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	<u>2246824</u>
Spectrum -Shanghai, China:	<u>3006174778</u>

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

A handwritten signature in dark ink that reads "Michelle Weston". The signature is written in a cursive, flowing style.

Michelle Weston
Quality Assurance Specialist

April 8, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
SO170	Sodium Hydroxide, Pellets, NF

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum-Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,



Michelle Weston
Quality Assurance Specialist



March 31, 2016

Re: Sodium Hydroxide, Pellets, NF-SO170

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Sodium Hydroxide, Pellets, NF-SO170

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag- Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



March 31, 2016

Re: Sodium Hydroxide, Pellets, NF- SO170

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Peanuts (including, but not limited to: peanut flour, peanut oil, etc.), Tree Nuts (including, but not limited to: almonds, pecans, walnuts, hazelnuts, filberts, cashews, etc.), Milk and Derivatives (including but not limited to butter, milk, casein, whey, lactose, etc.), Egg & Egg Products (including, but not limited to: albumen, egg white, yolk, meringue, etc.), Fish (including, but not limited to: all types of freshwater or saltwater finfish, fish oil, fish meal, etc.), Shellfish (including, but not limited to : crustaceans (shrimp, crab, crayfish, lobster, etc.) and mollusks (oysters, clams, scallops, mussels, etc.), Soy or Soy Derived Products (including, but not limited to: miso, tofu, soy protein, textured vegetable protein, soy nuts, soy flour, soy lecithin, and soy oil (Unless Highly Refined – Refined, Bleached, and Deodorized), Wheat (including, but not limited to: gluten, flour, bran, etc.), Gluten (including, but not limited to: wheat, rye, barley, oats, etc.), Seeds or Seed Derivatives (including, but not limited to: caraway, cottonseed, sunflower seeds, poppy seeds, etc.), Celery (including, but not limited to: root, leaves, stalk, seeds, etc.), Sesame Seeds and Derivatives (including, but not limited to: sesame seed, sesame oil, etc.), Mustard (including, but not limited to: mustard seed, mustard oil, etc.), Sulfites - (including, but not limited to: sulfur dioxide, sodium metabisulfite or sodium bisulfite), Preservatives - (including, but not limited to: benzoates, benzoic acid, sorbates, sorbic acid), MSG - (Monosodium Glutamate), Grains (including, but not limited to: barley, oats, rice, etc.), Corn (including, but not limited to: maltodextrin, corn starch, corn syrup, etc.), Colors (including, but not limited to: FD&C Yellow 5 & 6, titanium dioxide, carmine, Tartrazine Dye, etc.), Yeast or Yeast Derivatives (including, but not limited to: Autolyzed Yeast Extract, Yeast Extract), Antioxidants - (including, but not limited to: Tocopherols, BHA, BHT), Added Diacetyl, Phenylalanine, Cereals, Buckwheat, Tomatoes, Peaches and Pork).

Sodium Hydroxide, Pellets, NF- SO170

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.



Sincerely,

Darlene Dagdag- Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



April 1, 2016

Re: Sodium Hydroxide, Pellets, NF-SO170

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Sodium Hydroxide, Pellets, NF-SO170

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,


Darlene Dagdag- Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

A **DANGER**

B 

C **Causes severe skin burns and eye damage • Harmful in contact with skin • May be corrosive to metals.**

D **S0170**

E **Sodium Hydroxide**
(Caustic Soda; Soda Lye)

F **12 KG**

G **CAS 1310-73-2**

H **CAUTION:** For manufacturing, processing or repacking.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

I **DOT:** UN1823, Sodium hydroxide, solid, 8, PG II

J **Chemical Emergency: (800)424-9300**
www.SpectrumChemical.com

K **NaOH**

L **Exp. Date:** 03-31-2025

M **Lot No.** 062233

N **W 11/D3GHS**

O **Storage Color Band**

SPECTRUM[®]

Sodium Hydroxide
(Caustic Soda; Soda Lye)
Pellets, N.F.

MAXIMUM LIMITS

Assay (Total Alkali including a Max. of 3.0% Na₂CO₃) 95.0-100.5%

Insoluble Substances and Organic Matter..... To pass test

Potassium To pass test

Heavy Metals 0.003%

Residual Solvents To pass test

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

DELiquescent: Keep tightly closed.

F.W. 40.00

KEEP FROM CHILDREN

SPECTRUM CHEMICAL MFG. CORP.

Gardena, CA 90248 • New Brunswick, NJ 08901

- | | | |
|---|--|---|
| A Bar Code | F Size/Quantity | K Empirical Formula, Formula Weight and Technical Specifications Panel |
| B GHS Hazard Pictograms | G Chemical Abstracts Service (CAS) Registry Number | L Expiration Information |
| C Warning, Safety Data and Precautionary Information | H Caution Information | M Lot Number |
| D Product Catalog Number | I DOT Shipping Information | |
| E Item Name, Form, Grade | J Toll-Free 24-Hour Chemical Emergency Telephone Number | |
| O Storage Color Band | | |

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901

732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248

310.516.8000

Item Number	SO170	Lot Number	1FB0350
Item	Sodium Hydroxide, Pellets, NF		
CAS Number	1310-73-2		
Molecular Formula	NaOH	Molecular Weight	40.00

Test	Specification		Result
	min	max	
ASSAY (TOTAL ALKALI INCLUDING A	95.0 - 100.5 %		97.82 %
MAX. OF 3.0% (Na ₂ CO ₃)			0.82 %
INSOLUBLE AND ORGANIC MATTER		TO PASS TEST	PASSES TEST
POTASSIUM (K)		TO PASS TEST	PASSES TEST
HEAVY METALS		0.003 %	<0.002 %
IDENTIFICATION		TO PASS TEST	PASSES TEST
EXPIRATION DATE			09-JUN-2020
RESIDUAL SOLVENTS		TO PASS TEST	NO RESIDUAL SOLVENTS USED
APPEARANCE			WHITE PELLETS
MANUFACTURE DATE			10-JUN-2015

Spectrum Chemical Mfg Corp
14422 South San Pedro Street
Gardena 90248 CA



Certificate of Analysis Results Certified By:



Adan Hernandez
Quality Control Manager
Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

January 26, 2016

RE: Lot Numbering System

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

Example: ZI0928 = The 928th material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

- 1 = Gardena, CA Facility
- 2 = New Brunswick, NJ Facility
- 3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

Example: 2AA0706 = The 706th material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,



Michael Dang
Manager, GMP Compliance



Stability – Shelf Life Guidance

Product Covered: SO170, Sodium Hydroxide, Pellets, NF

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, SO170, Sodium Hydroxide, Pellets, NF, is assigned a 60 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez
Quality Control Manager

A handwritten signature in black ink, appearing to read "Adan R. Hernandez".

Corporate Headquarters
769 Jersey Avenue
New Brunswick, NJ 08901-3605