



# Scientific Documentation

PR133, Propylparaben, NF, BP, EP

Not appropriate for regulatory submission.  
Please visit [www.spectrumchemical.com](http://www.spectrumchemical.com) or  
contact Tech Services for the most up-to-date  
information contained in this information  
package.

## **Spectrum Chemical Mfg Corp**

769 Jersey Avenue  
New Brunswick, NJ 08901  
Phone 732.214.1300

Ver4.02 16.May.2016



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

A handwritten signature in black ink, appearing to be "Alan Wang", written over a light gray rectangular background.

Alan Wang, MSQA, ASQ CQA  
Senior Manager of Technical Services  
[techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com)

PR133, Propylparaben, NF, BP, EP

## Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Manufacturing Process Flowchart
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- General Label Information – Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability – Shelf Life Guidance

**spectrum**<sup>®</sup>  
CHEMICAL MFG CORP

Item Number	PR133
Item	Propylparaben, NF, BP, EP
CAS Number	94-13-3
Molecular Formula	C <sub>10</sub> H <sub>12</sub> O <sub>3</sub>
Molecular Weight	180.20
MDL Number	
Synonyms	Propyl 4-Hydroxybenzoate ; Propyl p-Hydroxybenzoate ; Propyl Parahydroxybenzoate

Test	Specification	
	Min	Max
ASSAY	98.0 - 102.0 %	
MELTING RANGE	96° - 99°C	
COLOR OF SOLUTION		TO PASS TEST
APPEARANCE OF SOLUTION		TO PASS TEST
ACIDITY		TO PASS TEST
RESIDUE ON IGNITION (SULPHATED ASH)		0.10%
RELATED SUBSTANCES		TO PASS TEST
IDENTIFICATION		TO PASS TEST
RETEST DATE		
RESIDUAL SOLVENTS		TO PASS TEST

***Spectrum Chemical Mfg Corp***

**Corporate Headquarters:**  
 769 Jersey Ave.  
 New Brunswick, NJ 08901  
 732.214.1300

**West Coast Facility:**  
 14422 S. San Pedro St.  
 Gardena, CA 90248  
 310.516.8000

# SAFETY DATA SHEET

Preparation Date: 7/29/2014

Revision Date: 7/29/2014

Revision Number: G1

## 1. IDENTIFICATION

### Product identifier

**Product code:** PR133  
**Product Name:** PROPYLPARABEN, NF, EP, BP, JP

### Other means of identification

**Synonyms:** Aseptoform P; Betacide P; Bonomold P; Nipasol; Parben; Parasept; Paseptol; Preserval P; Propyl aseptoform; Propyl chemosept; Propyl parasept; Protaben P; Tegosept P; Propyl-p-hydroxybenzoate; n-Propyl-p-hydroxybenzoate; Benzoic acid, 4-hydroxy-, propyl ester; p-Hydroxybenzoic acid propyl ester; p-Hydroxypropyl benzoate; Benzoic Acid, p-hydroxy-, propyl ester

**CAS #:** 94-13-3  
**RTECS #** DH2800000  
**CI#:** Not available

### Recommended use of the chemical and restrictions on use

**Recommended use:** Antibacterial. Preservative.  
**Uses advised against** No information available

**Supplier:** Spectrum Chemicals and Laboratory Products, Inc.  
14422 South San Pedro St.  
Gardena, CA 90248  
(310) 516-8000

**Order Online At:** <https://www.spectrumchemical.com>

**Emergency telephone number** Chemtrec 1-800-424-9300  
**Contact Person:** Martin LaBenz (West Coast)  
**Contact Person:** Regina Wachenheim (East Coast)

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1B
--------------------	-------------

### Label elements

## Warning

### Hazard statements

May cause an allergic skin reaction



### Hazards not otherwise classified (HNOC)

Not Applicable

### Other hazards

Not available

### Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

### Precautionary Statements - Response

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Propylparaben 94-13-3	94-13-3	100	*

## 4. FIRST AID MEASURES

### First aid measures

#### General Advice:

Poison information centres in each State capital city can provide additional assistance for scheduled poisons (13 1126)

#### Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops. Consult a physician if necessary.

#### Eye Contact:

Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.

#### Inhalation:

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

#### Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** May cause eye/skin irritation. May cause allergic skin reaction.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician:** Treat symptomatically

**Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

**5. FIRE-FIGHTING MEASURES**

**Extinguishing Media**

**Suitable Extinguishing Media:** Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray mist or foam.

**Unsuitable Extinguishing Media:** No information available.

**Specific hazards arising from the chemical**

**Hazardous Combustion Products:** Carbon monoxide; Carbon dioxide

**Specific hazards:** May be combustible at high temperatures

**Special Protective Actions for Firefighters**

**Specific Methods:** No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions:** Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Remove all sources of ignition.

**Environmental precautions** Prevent further leakage or spillage. Prevent entry into waterways, sewers.

**Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

**Methods for cleaning up** Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

**Safe Handling Advice:**

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid dust formation. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities****Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

**Incompatible Materials:**

Strong oxidizing agents. Bases.

<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
---

**Control parameters****National occupational exposure limits**

U.S Occupational Exposure Limits: Not determined

**United States**

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Propylparaben - 94-13-3	None	None	None	None

**Canada**

Canada Occupational Exposure Limits: Not determined

Components	Alberta	British Columbia	Ontario	Quebec
Propylparaben - 94-13-3	None	None	None	None

**Australia and Mexico**

Occupational Exposure Limits for Australia and Mexico: Not determined

Components	Australia	Mexico
Propylparaben 94-13-3	None	None

**Appropriate engineering controls****Engineering measures to reduce exposure:**

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Individual protection measures, such as personal protective equipment****Personal Protective Equipment**

- Eye protection:** Safety glasses. Safety glasses with side-shields.
- Skin and body protection:** Long sleeved clothing. Chemical resistant apron. Gloves.
- Respiratory protection:** Effective dust mask. Wear respirator with dust filter..



**Hygiene measures:**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical state:**

Solid.

**Appearance:**

Crystals. Crystalline powder.

**Color:**

White.

**Odor:**

Odorless.

**Taste**

No information available

**Formula:**

C10-H12-O3

**Molecular/Formula weight:**

180.20

**Flash point (°C):**

No data available

**Flashpoint (°C/°F):**

No information available.

**Flash Point Tested according to:**

Not available

**Lower Explosion Limit (%):**

No information available

**Upper Explosion Limit (%):**

No information available

**Autoignition Temperature (°C/°F):**

No information available

**pH:**

No information available

**Melting point/range(°C/°F):**

96-97 °C/204.8-206.6 °F

**Boiling point/range(°C/°F):**

No information available

**Decomposition temperature(°C/°F):**

No information available

**Specific gravity:**

1.0630 @ 102 °C

**Density (g/cm<sup>3</sup>):**

No information available

**Bulk density:**

No information available

**Vapor pressure @ 20°C (kPa):**

No information available

**Evaporation rate:**

No information available

**Vapor density:**

No information available

**VOC content (g/L):**

No information available

**Odor threshold (ppm):**

No information available

**Partition coefficient (n-octanol/water):**

3.04

**Viscosity:**

No information available

**Miscibility:**

No information available

**Solubility:**

Very slightly soluble in water  
Soluble in Acetone  
Soluble in Ether  
Freely soluble in alcohol

**10. STABILITY AND REACTIVITY****Reactivity**

Reactive with oxidizing agents  
Reacts with bases

**Chemical stability****Stability:**

Stable at normal conditions

**Possibility of Hazardous Reactions:**

Hazardous polymerization does not occur

**Conditions to avoid:**

Heat. Avoid dust formation. Incompatible materials.

**Incompatible Materials:**

Strong oxidizing agents. Bases.

**Hazardous decomposition products:**

Carbon monoxide. Carbon dioxide.

**Other Information****Corrosivity:**

No information available

**Special Remarks on Corrosivity:** No information available

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Principal Routes of Exposure:**

Ingestion. Inhalation. Skin.

### Acute Toxicity

### Component Information

*Propylparaben - 94-13-3*

**LD50/oral/rat** = No information available

**LD50/oral/mouse** = 6332 mg/kg Oral LD50 Mouse

**LD50/dermal/rabbit** = No information available

**LD50/dermal/rat** = No information available

**LC50/inhalation/rat** = No information available

**LC50/inhalation/mouse** = No information available

**Other LD50 or LC50 information** = No information available

### Product Information

**LD50/oral/rat =**

**VALUE- Acute Tox Oral** = No information available

**LD50/oral/mouse =**

**Value - Acute Tox Oral** = 6332mg/kg

**LD50/dermal/rabbit**

**VALUE-Acute Tox Dermal** = No information available

**LD50/dermal/rat**

**VALUE -Acute Tox Dermal** = No information available

**LC50/inhalation/rat**

**VALUE-Vapor** = No information available

**VALUE-Gas** = No information available

**VALUE-Dust/Mist** = No information available

**LC50/Inhalation/mouse**

**VALUE-Vapor** = No information available

**VALUE - Gas** = No information available

**VALUE - Dust/Mist** = No information available

### Symptoms

**Skin Contact:**

May cause skin irritation. May cause sensitization by skin contact. May cause allergic skin reaction.

**Eye Contact:**

May cause eye irritation.

**Inhalation**

May cause irritation of respiratory tract.

**Ingestion**

May cause digestive (gastrointestinal) tract irritation. It may affect behavior/central nervous system/nervous system(CNS depression, ataxia, paralysis).

**Product code:** PR133

**Product name:** PROPYLPARABEN,  
NF, EP, BP, JP

**6 / 11**

**Aspiration hazard** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Chronic Toxicity** Skin: Prolonged or repeated skin contact may cause allergic contact dermatitis (allergic skin reaction).  
Ingestion: Prolonged or repeated ingestion may cause weight loss, and may affect the kidneys, and endocrine system (adrenal gland, thyroid (thyroid hypofunction))

**Sensitization:** May cause sensitization by skin contact

**Mutagenic Effects:** May affect genetic material

**Carcinogenic effects:** Not considered carcinogenic.

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Propylparaben	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

**Reproductive toxicity** No data is available

**Reproductive Effects:** No information available  
**Developmental Effects:** No information available  
**Teratogenic Effects:** No information available

**Specific Target Organ Toxicity**

**STOT - single exposure** No information available  
**STOT - repeated exposure** No information available  
**Target Organs:** No information available

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Ecotoxicity effects:** No data available.

**Persistence and degradability:** No information available

**Bioaccumulative potential:** No information available

**Mobility:** No information available

**13. DISPOSAL CONSIDERATIONS**

**Disposal Methods**

**Waste from residues / unused products:**  
Waste must be disposed of in accordance with Federal, State and Local regulation.

**Contaminated packaging:**

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Propylparaben	None	None	None	None

**14. TRANSPORT INFORMATION****DOT**

**UN-No:** Not regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** Not applicable  
**Packing Group:** None  
**Marine Pollutant:** No data available  
**ERG No:** No information available  
**DOT RQ (lbs):** No information available

**TDG (Canada)**

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Description:** No information available

**ADR**

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Packing Group:** No information available  
**Subsidiary Risk:** No information available  
**Classification Code:** No information available  
**Description:** No information available  
**CEFIC Tremcard No:** No information available

**IMO / IMDG**

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Description:** No information available  
**IMDG Page:** No information available  
**Marine Pollutant:** No information available  
**MFAG:** No information available  
**Maximum Quantity:** No information available

**RID**

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Classification Code:** No information available

## 14. TRANSPORT INFORMATION

**Description:** No information available

### ICAO

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Description:** No information available

### IATA

**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Description:** No information available

## 15. REGULATORY INFORMATION

### International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Propylparaben	Present	Present KE-20396	Present	Present (3)-1585	Present	Present	Present 202-307-7

### U.S. Regulations

Propylparaben

**FDA - Food Additives Generally Recognized as Safe (GRAS):** 21 CFR 184.1670

### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Propylparaben	Not Listed	Not Listed	Not Listed	Not Listed

### CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
Propylparaben	None	None	None	None	None

### U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Propylparaben	Not Applicable	Not Applicable

## Canada

### WHMIS hazard class:

D2B Toxic materials

### Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

## Inventory

Components	Canada (DSL)	Canada (NDSL)
Propylparaben	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Propylparaben	Not listed	Not listed

## EU Classification

### R-phrases)

not determined

none

Components	Classification	Concentration Limits:	Safety Phrases
Propylparaben		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

### Indication of danger:

Not dangerous

## 16. OTHER INFORMATION

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>HMIS</b>	<b>Personal Protective Equipment</b>
-------------	-------------	--------------------------------------



Health Hazard	1
Fire Hazard	1
Reactivity	0



See Section 8.

Preparation Date: 7/29/2014  
Revision Date: 7/29/2014  
Prepared by: Sonia Owen

**Disclaimer:**

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet**



## **Manufacturer**

Product Covered: PR133, Propylparaben, NF, BP, EP

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan Wang", is written over a light gray rectangular background.


Alan Wang, MSQA, ASQ CQA  
Senior Manager of Technical Services  
[techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com)

16.May.2016



## Manufacturing Process Flowchart

### Propylparaben, NF, BP, EP - PR133



#### *Spectrum Chemical Mfg Corp*

**Corporate Headquarters:**

769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

**West Coast Facility:**

14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000

# Certificate of Registration



# Intertek

This is to certify that the quality management system of

## Spectrum Chemicals and Laboratory Products, Inc

**Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA**

*Additional Sites: 13915 South Main Street, Los Angeles, California, 90061, USA*

*755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA*

*769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA*

*7400 North Oracle Road, Suite 221, Tucson, Arizona, 85704, USA*

has been assessed and registered by Intertek as conforming to the requirements of


## ISO 9001:2008

The quality management system is applicable to

**California and New Jersey sites:** The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

**Arizona site:** Supporting Spectrum's two manufacturing facilities by: selecting and qualifying distributors of Laboratory and Safety Equipment; processing bids and quotes to generate new sales opportunities; sourcing bulk chemicals in support of bulk bids and quotes; assisting production operations through order expediting and IT infrastructure support.

Certificate Number: 94-316m-01  
Initial Certification Date: 27 December 1994  
Certificate Issue Date: 29 January 2016  
Certificate Expiry Date: 14 September 2018



*Calin Moldovean, President*  
Intertek Testing Services NA, Inc.  
900 Chelmsford Street, Suite 301-3, Lowell, MA, USA



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at [certificate.validation@intertek.com](mailto:certificate.validation@intertek.com) or by scanning the code to the right with a smartphone.

The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-ISO 9001-2008-ANAB-EN-LT-L-26.jun.15

# Certificate of Registration

# Intertek

This is to certify that the quality management system of

## Spectrum China Ltd.

**Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China**

has been assessed and registered by Intertek as conforming to the requirements of

## ISO 9001: 2008

The quality management system is applicable to:

*Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.*

Organization Code: 77762704-8  
Certificate Number: 111310001-01  
Certificate Issue Date: 17 November 2015  
Certificate Expiry Date: 14 September 2018



014

A handwritten signature in black ink, appearing to read 'Calin Moldovean'.

*Authorised Signature: Calin Moldovean – President, Business Assurance  
Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom  
Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.*

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at [certificate.validation@intertek.com](mailto:certificate.validation@intertek.com) or by scanning the code to the right with a smartphone. The annual validity of the certificate can also be checked through the website <http://www.cnca.gov.cn> of CNCA in China.



The certificate remains the property of Intertek, to whom it must be returned upon request.



March 28, 2016

**Certificate of cGMP**

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that our USP, NF, FCC, EP, BP, JP, and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	<u>2246824</u>
Spectrum -Shanghai, China:	<u>3006174778</u>

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com) if we may be of further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Weston".

Michelle Weston  
Quality Assurance Specialist



May 9, 2016

**Certificate of cGMP**

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
PR133	Propylparaben, NF, BP, EP

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632  
Spectrum-New Brunswick, NJ: 2246824  
Spectrum-Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com) if we may be of further assistance.

Sincerely,

Michelle Weston  
Quality Assurance Specialist



May 6, 2016

Re: Propylparaben, NF, BP, EP-PR133

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Propylparaben, NF, BP, EP-PR133

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at [techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com).

Sincerely,

Darlene Dagdag-Lyudmirskiy  
Technical Services  
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 6, 2016

Re: Propylparaben, NF, BP, EP-PR133

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Sulfur dioxide and sulfites at concentrations of more than 10 mg/kg or 10 mg/liter expressed as SO<sub>2</sub>; Tree nuts; Wheat; Peanuts; Soy; Cereals containing Gluten).

Propylparaben, NF, BP, EP-PR133

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at [techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com).

Sincerely,

Darlene Dagdag-Lyudmirskiy  
Technical Services  
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 12, 2016

Re: Propylparaben, NF, BP, EP- PR133

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Propylparaben, NF, BP, EP- PR133

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at [techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com).

Sincerely,

Darlene Dagdag-Lyudmirskiy  
Technical Services  
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

**WARNING**

- May cause an allergic skin reaction.
- Wear protective gloves • Avoid breathing dust • Contaminated work clothing must not be allowed out of the workplace.

**FIRST AID:** IF ON SKIN: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.

**KEEP FROM CHILDREN**

**CAUTION:** For manufacturing, processing or repacking.  
Read and understand the label and Safety Data Sheet (SDS) prior to use.

**Chemical Emergency: (800)424-9300**

www.SpectrumChemical.com

**Assay** ..... 98.0-102.0%  
**Melting Range** ..... 96°-99°C  
**Color of Solution** ..... To pass test  
**Appearance of Solution** ..... To pass test  
**MAXIMUM LIMITS**  
**Acidity** ..... To pass test  
**Residue on Ignition (Sulphated Ash)** .....  
..... 0.10%  
**Related Substances** ..... To pass test  
**Residual Solvents** ..... To pass test

- |   |  |   |
|---|--|---|
| <b>A</b> Bar Code   | <b>F</b> Size/Quantity   | <b>K</b> Empirical Formula, Formula Weight and Technical Specifications Panel |
| <b>B</b> GHS Hazard Pictograms                              | <b>G</b> Chemical Abstracts Service (CAS) Registry Number      | <b>L</b> Expiration Information   |
| <b>C</b> Warning, Safety Data and Precautionary Information | <b>H</b> Caution Information                                   | <b>M</b> Lot Number   |
| <b>D</b> Product Catalog Number                             | <b>I</b> DOT Shipping Information                              | <b>N</b> Kosher Certified by Kosher Supervision of America (KSA).             |
| <b>E</b> Item Name, Form, Grade                             | <b>J</b> Toll-Free 24-Hour Chemical Emergency Telephone Number |   |
| <b>O</b> Storage Color Band                                 |  |   |

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

### Spectrum Chemical Mfg Corp

**Corporate Headquarters:**

769 Jersey Ave.  
New Brunswick, NJ 08901

732.214.1300

**West Coast Facility:**

14422 S. San Pedro St.  
Gardena, CA 90248

310.516.8000

Item Number	PR133	Lot Number	2EI0201
Item	Propylparaben, NF, BP, EP		
CAS Number	94-13-3		
Molecular Formula	C <sub>10</sub> H <sub>12</sub> O <sub>3</sub>	Molecular Weight	180.20

Test	Specification		Result
	min	max	
ASSAY	98.0 - 102.0 %		100.0 %
MELTING RANGE	96° - 99°C		96 - 98 C
COLOR OF SOLUTION		TO PASS TEST	PASSES TEST
APPEARANCE OF SOLUTION		TO PASS TEST	PASSES TEST
ACIDITY		TO PASS TEST	PASSES TEST
RESIDUE ON IGNITION (SULPHATED ASH)		0.10%	0.01 %
RELATED SUBSTANCES		TO PASS TEST	PASSES TEST
IDENTIFICATION		TO PASS TEST	PASSES TEST
RETEST DATE			16-NOV-2019
RESIDUAL SOLVENTS		TO PASS TEST	.
CLASS 3 (solvent) / 1-PROPANOL			<5000 ppm
APPEARANCE			WHITE POWDER
DATE OF MANUFACTURE			17-NOV-2014

Spectrum Chemical Mfg Corp  
755 Jersey Avenue  
New Brunswick 08901 NJ

Certificate of Analysis Results Certified By:



Mulbah F. Dwanah  
Laboratory Supervisor  
Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

January 26, 2016

**RE: Lot Numbering System**

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

**Example:** ZI0928 = The 928<sup>th</sup> material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

- 1 = Gardena, CA Facility
- 2 = New Brunswick, NJ Facility
- 3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

**Example:** 2AA0706 = The 706<sup>th</sup> material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com) if we may be of further assistance.

Sincerely,



Michael Dang  
Manager, GMP Compliance



## Stability – Shelf Life Guidance

Product Covered: PR133, Propylparaben, NF, BP, EP

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, PR133, Propylparaben, NF, BP, EP, is assigned a 60 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez  
Quality Control Manager

A handwritten signature in black ink, appearing to read "Adan R. Hernandez".

Corporate Headquarters  
769 Jersey Avenue  
New Brunswick, NJ 08901-3605