

SAFETY DATA SHEET

Preparation Date: No data available

Revision Date: 06/16/2015

Revision Number: G1

Product identifier

Product code: D2399
Product Name: N,N-DIMETHYLETHANOLAMINE

Other means of identification

Synonyms: 2-(Dimethylamino)ethanol; 2-Dimethylaminoethanol; beta-Dimethylaminoethanol; beta-Dimethylaminoethyl alcohol; beta-Hydroxyethyl dimethylamine; Bimanol; Deanol; Dimethylaminoethanol; DMAE; Liparon; N,N-Dimethyl-2-hydroxyethylamine; N,N-Dimethyl-n-(2-hydroxyethyl)amine; N,N-Dimethylaminoethanol; N-Dimethylaminoethanol; Norcholine; Propamine A.; INCI name is Dimethyl MEA

CAS #: 108-01-0
RTECS # KK6125000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Flammable liquids	Category 3

Label elements

Danger

Hazard statements

Harmful if swallowed
Harmful in contact with skin
Toxic if inhaled
Causes severe skin burns and eye damage
Flammable liquid and vapor



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful if inhaled
Harmful to aquatic life with long lasting effects
Harmful to aquatic life

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting/./? /equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Keep cool

Precautionary Statements - Response

Specific measures (see .? on this label)
Specific treatment (see .? on this label)
Immediately call a POISON CENTER or doctor/physician
Specific treatment (see .? on this label)
In case of fire: Use CO₂, dry chemical, or foam to extinguish.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
N,N-Dimethylethanolamine 108-01-0	108-01-0	100	*

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water. Continue flushing with plenty of water for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical attention is required. Call a physician or Poison Control Centre immediately.

Eye Contact:

Flush eye with water for 15 minutes. Immediate medical attention is required. Call a physician immediately.

Inhalation:

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. **WARNING!** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms

Causes severe skin burns. Causes eye damage. Harmful if swallowed. Harmful in contact with skin. Toxic by inhalation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO₂). Dry chemical. Alcohol-resistant foam. Water spray.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: No information available.

Specific hazards: Flammable
May be ignited by heat, sparks or flames
Container explosion may occur under fire conditions or when heated
Vapor may travel considerable distance to source of ignition and flash back
Vapors may form explosive mixtures with air
Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks)

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the material.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Keep away from heat and sources of ignition.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
N,N-Dimethylethanolamine 108-01-0	None	None	None	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
N,N-Dimethylethanolamine 108-01-0	None	None	3 ppm TWA 11 mg/m ³ TWA	None

Australia and Mexico

Components	Australia	Mexico
N,N-Dimethylethanolamine 108-01-0	6 ppm STEL 22 mg/m ³ STEL 2 ppm TWA 7.4 mg/m ³ TWA	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles or Safety glasses with side-shields

Skin and body protection: Chemical resistant apron. Gloves. Long sleeved clothing.

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Appearance: No information available	Color: Colorless to pale yellow.
Odor: Amine-like.	Taste No information available	Molecular/Formula weight: 89.14
Formula: C4H11NO	Flammability: Flammable	Flash point (°C): No data available
Flashpoint (°C/°F): Closed Cup: 40°C/104°F; Open Cup: 40.556°C/105°F	Flash Point Tested according to: Not available	Lower Explosion Limit (%): 1.6
Upper Explosion Limit (%): 11.9	Autoignition Temperature (°C/°F): 295°C/563°F	pH: No information available
Melting point/range(°C/°F): -70°-(-59°C)/-94°-(-74.2°F)	Boiling point/range(°C/°F): 133°-139°C/271.4°-282.2°F	Decomposition temperature(°C/°F): No information available
Bulk density: No information available	Specific gravity: 0.8866	Vapor pressure @ 20°C (kPa): No information available
Density (g/cm3): No information available	Evaporation rate: No information available	Vapor density: 3.03
VOC content (g/L): No information available	Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available
Viscosity: No information available	Miscibility: Miscible with alcohol Miscible with Benzene	Solubility: Soluble in Acetone Soluble in cold water Soluble in diethyl ether

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Carbon oxides. Nitrogen oxides (NOx).

Other Information

Corrosivity: No information available

Product code: D2399

Product name: N,N-
DIMETHYLETHANOLAMINE

6 / 12

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Inhalation. Skin.

Acute Toxicity

Component Information

N,N-Dimethylethanolamine - 108-01-0

LD50/oral/rat = 2000 mg/kg (RTECS)

2000-2340mg/kg (European Commission IUCLID dataset)

1803 mag/kg (LOLI)

LD50/oral/mouse = 3100 mg/kg

LD50/dermal/rat = No information available

LD50/dermal/rabbit = 1370 µL/kg Dermal LD50 Rabbit (RTECS)

1220 mg/kg (LOLI)

1220-3135 (European Commission IUCLID dataset)

LC50/inhalation/rat = 1641 ppm Inhalation LC50 Rat 4 h

LC50/inhalation/mouse = 3250 mg/m³ Inhalation LC50 Mouse 4 h

Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 2000mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 3100mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 1220mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = 1641ppm (4-hr)

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = 3250 mg/m³ 4H

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:

Causes severe irritation and burns. May be absorbed through the skin. Harmful in contact with skin.

Eye Contact:

Contact with liquid or vapor causes severe burns and possible irreversible eye damage including corneal injury and cataracts. Causes severe irritation and burns.

Product code: D2399

Product name: N,N-DIMETHYLETHANOLAMINE

7 / 12

Inhalation Toxic by inhalation. It can irritate the respiratory tract (lungs) and cause sore throat, sneezing, coughing, wheezing, and/or shortness of breath/dyspnea. Higher exposures can cause a build-up of fluid in the lungs (pulmonary edema) with severe shortness of breath. It can affect behavior/central nervous system and cause headache, muscle tenderness, restlessness, ataxia, tremor, increased irritability, lack of sleep, insomnia, convulsions, coma. It may also affect metabolism and cause anorexia.

Ingestion Harmful if swallowed.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated inhalation may cause asthma-like allergy and asthma attacks with shortness of breath, wheezing, coughing, and/or chest tightness.

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
N,N-Dimethylethanolamine	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available

STOT - repeated exposure No information available

Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

N,N-Dimethylethanolamine - 108-01-0

Freshwater Algae Data: 35 mg/L EC50 *Desmodesmus subspicatus* 72 h

Freshwater Fish Species Data: 81 mg/L LC50 *Pimephales promelas* 96 h static 1

Water Flea Data: 98.77 mg/L EC50 *Daphnia magna* 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
N,N-Dimethylethanolamine	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN2051
Proper Shipping Name: 2-Dimethylaminoethanol
Hazard Class: 8
Subsidiary Risk: 3
Packing Group: II
ERG No: 132
Marine Pollutant: No data available
DOT RQ (lbs): No information available

Symbol(s):

TDG (Canada)

UN-No: UN2051
Proper Shipping Name: 2-Dimethylaminoethanol
Hazard Class: 8
Subsidiary Risk: (3)
Packing Group: II
Description: No information available

ADR

UN-No: UN2051
Proper Shipping Name: 2-Dimethylamino-ethanol
Hazard Class: 8
Packing Group: II
Subsidiary Risk: 3
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: UN2051
Proper Shipping Name: 2-Dimethylaminoethanol
Hazard Class: 8

14. TRANSPORT INFORMATION

Subsidiary Risk: 3
Packing Group: II
Description: No information available
IMDG Page: No information available
Marine Pollutant: No information available
EMS: F-E
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: UN2051
Proper Shipping Name: 2-Dimethylaminoethanol
Hazard Class: 8
Subsidiary Risk: 3
Packing Group: II
Classification Code: No information available
Description: No information available

ICAO

UN-No: UN2051
Proper Shipping Name: 2-Dimethylaminoethanol
Hazard Class: 8
Subsidiary Risk: 3
Packing Group: II
Description: No information available

IATA

UN-No: UN2051
Proper Shipping Name: 2-Dimethylaminoethanol
Hazard Class: 8
Subsidiary Risk: 3
Packing Group: II
ERG Code: 8F
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>N,N-Dimethylethanolamine</i>	Present	Present KE-11494	Present	Present (2)-353 (2)-297	Present	Present	Present 203-542-8

U.S. Regulations

N,N-Dimethylethanolamine

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 3111

Pennsylvania RTK: Present

FDA - 21 CFR - Total Food Additives 173.20 175.105 175.300

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: D2399

Product name: N,N-DIMETHYLETHANOLAMINE

10 / 12

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
N,N-Dimethylethanolamine	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
N,N-Dimethylethanolamine	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
N,N-Dimethylethanolamine	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

B3 Combustible liquid
D1B Toxic materials
E Corrosive material

N,N-Dimethylethanolamine

B3 D1B E

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
N,N-Dimethylethanolamine	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
N,N-Dimethylethanolamine	Not listed	Not listed

EU Classification

R-phrase(s)

R10 - Flammable.
R34 - Causes burns.
R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.

S -phrase(s)

S25 - Avoid contact with eyes.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	Classification	Concentration Limits:	Safety Phrases
N,N-Dimethylethanolamine	R10 Xn; R20/21/22 C; R34	No information	S1/2 S25 S26 S36/37/39 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Flammable

C - Corrosive.

Xn - Harmful.



16. OTHER INFORMATION

Revision Date:

06/16/2015

Prepared by:

Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet